

7. Eintrittsdaten ausgewählter Phasen der Pflanzenentwicklung in 30 ausgewählten Beobachtungsstationen im langjährigen Durchschnitt und 1952 bis 1956

B e z i r k R o s t o c k

Warnemünde, Seehöhe 4 m

Greifswald-Wieck, Seehöhe 1 m

12.5.7.6

1952	+ 3	+ 5	- 11	- 10	-13 4-4		- 2 +6		4- 3 -2 -1	- 6
1953
1954	• i	.	.	.
1955	+ 5	4- 1	4- 9		4-2 4-13	.	.	.
1956	+ 1	<u>+ 0</u>	4- 0	+ n	+ 11 +7		- 2 14- 9	4- 10 14-2 4-6	<u>+ 0</u>	

Goldberg, Seehöhe 56 m

8 5 | 9 6 | 29

1952	-19	-1	-7	-9	-14	-5	-3	+ 9	+ 3	+ 2	+ 2	-17
1953	-22	-14	-7	-12	-11	-9	-19	+ i	+ 1	-6	-4-2	-13
1954	+ 3	-10	-5	+ 6	+ 8	± o	-9	+ 17	-2	+ 7	-4-0	-11
1955	+ 18	-12	+ 3	+ 11	+ 17	4-;i	+ 20	4-18	+ ii	-5	4-4	+ 5
1956	4-12	-3	-2	4-12	+ 12	+ 2	4-17	4 16	+ 6	-3	± o	+ 4

Bezirk Schwerin

Schwerin, Seehöhe 52 m

1947/56 ...	26. 3.	2. 4.	30. 4.	27. 4.	28. 4.	24. 5.	28. 6.	5. 7.	23. 7.	28. 9. 22. 9.	8. 10.
1952	— 3	.	+ 10	+ 5	— 10	— 8 4-2	— 3
1953	— 16	— 23	— 14	— 16	+ 3	+ 12	— 13	+ 2	— 9	+ 7 1+9	— 6
1954	+ 8	.	.	4-13	.	+ 17	— 8	.	+ 3	— 1 j	+ 18
1955	+ 10	4- 16	+ 9	+ ii	.	4- 34	— 2	.	+ 16	+ 1 1+3	.
1956	+ 2	— 5	4 11	4-11	.	4- 22	4- 15	.	+ *	— 9 1 — 2	.

Boizenburg, Seehöhe 45 m

8.6 | 7.6 | 22

1947/50 ...	23. 3.	1. 4.	26. 4.	26. 5.	3. 6.	17. 6.	22. 6.	18. 7.	23. 7.	4. 8.	29. 8.	13. 9.
1952	4-1	+ 4	- 8	- 6	- 3	- 17	.	- 7	- 2	- 4	- 5
1953	- 11	- 5	- 13	- 13	- 10	- 5	4-1	.	- 4	4-0	- 4	.
1954
1955	+ 9	+ 6	+ 3	4-13	4 4	+ n	4-27	+ 6	+ ii	- 5	- 9	+ 2
1956	+ 3	- 3	.	+ a	+ 6	- 4	4-24	± 0	- 2	.	+ 21	+ 3

Bezirk Neubrandenburg

Neustrelitz, Seehöhe 64 m

1947/56 . .	17. 3.	5. 4.	30. 4.	24. 4.	7. 5.	11. 6.	27. 6.	12. 7.	25. 7.	25. 9.	25. 9.	16. 10
1952	— 15	+ 14	— 1	— 8	— 11	— 3	— 17	— 11	— 6	4- 7	4- 7	— 17
1953	— 15	— 9	— 8	— 15	— 13	— 4	— 18	— 8	— 9	4- 14	— 8	— 13
1954	4- 3	— 8	4- 2	+ ii	+ 5	— 2	+ 26	4- 6	+ 6	+ 3	+ 2	4- 8
1955	+ 19	+ 17	4- 4	+ 10	4- 7	+ 11	4- 13	4- 8	+ 8	+ 6	+ 1	+ ii
1956	+ 7	— 9	+ 9	4- 13	+ 12	4- 2	+ 12	4- 5	+ 6	— 27	4- 1	4-