2. Lufttemperatur an 18 ausgewählten meteorologischen Stationen: Monats- und Jahresmittel im langjährigen Durchschnitt und 1952 bis 1958

	Lufttemperatur												
50-Jahres- Durchschnit t Jahr	Januar	Februar	März	April	Mai	Monatsn	Juli	August	Sep- tember	Oktober	No- vember	De- zember	Jahres- mittel
							°C						
Angermünde, Seehõhe 48 m													
1901/50 1952 1953 1954 1955 1956 1957 1957	- ii 0,9 0,1 - 4,0 - 2,4 0,2 1,0 - 0,8	-0,4 0,7 0,0 -7,2 -3,6 -10,3 3,3 1,0	3,1 0,2 4,7 2,8 - 0,6 2,3 4,4 - 0,4	7,6 10,2 9,2 5,4 6,0 4,4 6,7 5,0	13,0 12,2 13,8 12,9 10,8 13,1 10,4 13,5	16,0 15,1 17,8 17,6 14,6 15,0 17,2 14,7	17,9 17,6 18,6 15,3 18,2 17,8 18,8 18,2	16,8 18,0 17,1 16,5 18,1 14,7 15,9 16,8	13,4 11,1 13,4 14,0 14,0 13,3 11,4 13,8	8,2 7,1 10,6 9,9 8,4 8,7 9,4 9,9	3,2 1,8 4,9 3,0 4,3 1,9 4,7 4,4	0,2 -0,9 1,2 3,5 2,3 1,8 0,5 1,7	8,2 7,8 9,3 7,5 7,5 6,9 8,6 8,2
Bezirk Gottbus													
1901/50	I -0,6	0,1	3,6	8,1	13,5	ottbus, Seeh 16,5	öhe 71 m	17.2	13,9	8,8	3,8	0,6	1 8,6
1952 1953 1954 1955 1956 1957 1958	0,9 - 0,2 - 4,6 - 2,1 0,0 0,3 - 0,4	0,6 0,5 -6,3 -2,3 -11,3 3,9 2,3	0,8 5,0 3,8 0,3 2,4 5,5 0,2	11,3 10,3 6,2 6,6 5,3 8,2 5,3	12,7 14,3 13,8 11,5 13,4 11,1 15,0	16,3 18,4 18,8 15,8 15,2 18,6 15,7	19,4 19,7 16,1 18,8 18,2 19,4 18,9	17,2 19,7 18,0 17,7 18,1 15,7 16,0 17,8	11,8 14,5 15,2 14,3 14,2 12,3 14,7	7,5 11,3 10,6 8,7 9,0 10,1 10,4	2,2 5,4 3,5 4,4 1,6 5,2 4,4	- 0,3 2,8 3,7 2,7 1,9 - 0,1 2,5	8,6 10,0 8,2 8,1 7,2 9,2 8,9
							g d e b u	r g					
1901/50	0,3	i i i	«	8,8	14,1	leburg, Seel 17,0	18,8	17,9	14,6	9,5	4,5	1,4	9,4
1952 1953 1954 1955 1956 1957 1958	0,8 0,3 - 3,1 - 2,0 0,0 1,0 - 0,4	- 5,1 - 2,8 - 10,4 4,2	1,9 5,1 3,8 - 0,1 3,0 6,0 - 0,1	H,1 9,5 6,4 7,2 5,2 7,7 5,6	12,4 13,8 13,7 11,1 13,3 10,6 13,9	15,5 17,4 17,2 14,9 14,1 17,7 15,2	18,4 18,3 15,2 18,1 17,8 18,7 17,8	18,4 17,0 16,7 17,6 14,6 15,9 17,7	11,1 13,6 14,2 14,0 13,8 12,2 14,7	7,4 10,6 10,6 8,8 9,1 9,9 10,3	1,5 5,7 4,0 4,4 3,1 5,0 4,3	- 0,7 3,0 3,9 2,6 2,7 0,4 2,8	8,2 9,6 8,1 7,8 7,2 9,1 8,7
Salzwedel, Seehöhe 25 m													
1901/50	0,0 1,2 0,8 - 2,7 - 1,6 0,7 - 0,2	1,3 0,2 - 4,9 - 2,9 - 10,1 4,0	3,8 1,6 4,5 3,6 -0,7 3,0 5,6 0,0	7,9 10,5 8,7 5,9 7,0 4,8 7,2 5,4	13,1 12,3 13,4 13,2 10,4 12,9 10,0 13,4	16,0 14,7 17,3 16,3 14,5 14,1 17,0 15,0	17,9 17,6 18,0 14,8 18,5 17,6 18,1 17,2	16,9 17,4 16,6 16,3 17,5 14,2 15,5 16,9	13,7 10,7 13,1 13,6 13,7 13,5 11,8 14,4	8,8 7,3 10,3 10,7 8,9 8,9 9,6 10,4	4,0 1,5 5,9 4,2 4,7 3,2 5,4 4,3	- 0,4 3,1 4,0 2,9 3,1 0,7 2,9	8,6 8,0 9,3 7,9 7,8 7,2 8,9 8,5
					Brock	en, Seehöh	e 1142 m						
1901/50	- 4,8 - 5,2 4,8 - 8,4 - 3,9 - 4,8 3,0 3,9	- 4,6 - 5,4 - 4,8 - 7,3 - 7,4 - 13,3 - 1,7 - 3,7	- 2,2 - 3,3 1,5 - 0,3 - 5,2 - 2,3 1,6 - 5,8	1,2 4,9 2,9 -1,0 0,2 -1,2 1,3 —1,6	6,0 5,5 6,7 6,0 2,9 6,5 3,0 6,6	8,7 8,4 10,2 9,5 8,0 6,3 10,7 8,1	10,5 11,2 11,0 7,2 11,2 10,5 11,6 10,5	10,0 11,9 10,3 9,8 11,3 7,3 8,5 10,9	7,5 4,0 7,7 7,4 8,1 8,8 5,6 9,3	3,3 0,8 7,4 4,4 3,0 3,2 4,9 4,7	- ii - 3,9 1.7 - 0,3 0,3 - 2,2 0,3 0,9	-3,5 -4,7 1,1 -1,6 -2,3 -2,2 2,8 -2,3	2,6 2,0 4,2 2,1 2,2 1,4 3,3 2,8
Bezirk Erfurt Erfurt Seehöhe 254 m													
1901/50	$\begin{array}{c c} -0.7 \\ 0.2 \\ -1.1 \\ -4.2 \\ -2.6 \\ -0.2 \\ 0.1 \\ -0.6 \end{array}$	0,3 - 4,7 - 2,9 - 11,0 4,1	3\$ 2,4 5,3 4,4 -0,2 2,6 6,7 -2,0	8,0 10,8 9,6 5,9 7,4 5,4 7,5 4,5	13,0 12,3 13,8 12,6 10,9 13,0 9,9 13,3	15,8 15,8 16,3 16,8 15,0 13,7 17,4 14,2	17,6 18,8 18,2 14,9 17,3 17,1 18,2 16,8	16,8 18,7 17,2 16,5 16,6 14,5 15,3 16,9	13,5 10,6 13,9 14,1 13,6 13,5 12,1 14,5	8,6 7,5 10,4 10,8 8,1 8,5 9,4 9,3	3,7 1,6 5,2 4,5 3,3 2,3 4,5 3,6	0,5 -0,7 2,9 3,5 2,2 1,8 0,4 2,4	8,4 8,1 9,3 7,9 7,4 6,8 8,9 7,9