

(c) Twenty metric tons of depleted uranium with an enrichment of 0.005 (0.5%) or below; and

(d) Twenty metric tons of thorium;

or such greater amounts as may be specified by the Board for uniform application.

Article 38

If exempted nuclear material is to be processed or stored together with nuclear material subject to safeguards under this Agreement, provision shall be made for the reapplication of safeguards thereto.

SUBSIDIARY ARRANGEMENTS

Article 39

The Government of the G.D.R. and the Agency shall make Subsidiary Arrangements which shall specify in detail, to the extent necessary to permit the Agency to fulfil its responsibilities under this Agreement in an effective and efficient manner, how the procedures laid down in this Agreement are to be applied. The Subsidiary Arrangements may be extended or changed by agreement between the Government of the G.D.R. and the Agency without amendment of this Agreement.

Article 40

The Subsidiary Arrangements shall enter into force at the same time as, or as soon as possible after, the entry into force of this Agreement. The Government of the G.D.R. and the Agency shall make every effort to achieve their entry into force within ninety days of the entry into force of this Agreement; an extension of that period shall require agreement between the Government of the G.D.R. and the Agency. The Government of the G.D.R. shall provide the Agency promptly with the information required for completing the Subsidiary Arrangements. Upon the entry into force of this Agreement, the Agency shall have the right to apply the procedures laid down therein in respect of the nuclear material listed in the inventory provided for in Article 41, even if the Subsidiary Arrangements have not yet entered into force.

INVENTORY

Article 41

On the basis of the initial report referred to in Article 62, the Agency shall establish a unified inventory of all nuclear material in the G.D.R. subject to safeguards under this Agreement, irrespective of its origin, and shall maintain this inventory on the basis of subsequent reports and of the results of its verification activities. Copies of the inventory shall be made available to the Government of the G.D.R. at intervals to be agreed.

DESIGN INFORMATION

General provisions

Article 42

Pursuant to Article 8, design information in respect of existing facilities shall be provided to the Agency during the discussion of the Subsidiary Arrangements. The time limits for the provision of design information in respect of the new facilities shall be specified in the Subsidiary Arrangements and such information shall be provided as early as possible before nuclear material is introduced into a new facility.

Article 43

The design information to be provided to the Agency shall include, in respect of each facility, when applicable:

- (a) The identification of the facility, stating its general character, purpose, nominal capacity and geographic location, and the name and address to be used for routine business purposes;
- (b) A description of the general arrangement of the facility with reference, to the extent feasible, to the form, location and flow of nuclear material and to the general layout of important items of equipment which use, produce or process nuclear material;
- (c) A description of features of the facility relating to material accountancy, containment and surveillance; and
- (d) A description of the existing and proposed procedures at the facility for nuclear material accountancy and control, with special reference to material balance areas established by the operator, measurements of flow and procedures for physical inventory taking.

Article 44

Other information relevant to the application of safeguards shall also be provided to the Agency in respect of each facility, in particular on organizational responsibility for material accountancy and control. The Government of the G.D.R. shall provide the Agency with supplementary information on the health and safety procedures which the Agency shall observe and with which the inspectors shall comply at the facility.

Article 45

The Agency shall be provided with design information in respect of a modification relevant for safeguards purposes, for examination, and shall be informed of any change in the information provided to it under Article 44, sufficiently in advance for the safeguards procedures to be adjusted when necessary.

Purposes of examination of design information

Article 46

The design information provided to the Agency shall be used for the following purposes:

- (a) To identify the features of facilities and nuclear material relevant to the application of safeguards to nuclear material in sufficient detail to facilitate verification;
- (b) To determine material balance areas to be used for Agency accounting purposes and to select those strategic points which are key measurement points and which will be used to determine flow and inventory of nuclear material; in determining such material balance areas the Agency shall, inter alia, use the following criteria:
 - (i) The size of the material balance area shall be related to the accuracy with which the material balance can be established;
 - (ii) In determining the material balance area advantage shall be taken of any opportunity to use containment and surveillance to help ensure the completeness of flow measurements and thereby to simplify the application of safeguards and to concentrate measurement efforts at key measurement points;
 - (iii) A number of material balance areas in use at a facility or at distinct sites may be combined in one material balance* area to be used for Agency accounting purposes